



GFX

MEDIUM FORMAT

IN SMALLER & LIGHTER BODIES

70% LARGER
SENSOR
THAN A FULL-FRAME SENSOR

FUJIFILM
SOUTH AFRICA

GFX 100

MEDIUM FORMAT



- 102-megapixel BSI CMOS sensor
- ISO range of 100-12,800, expandable to 50-102,400
- 16-bit raw files
- Phase detection pixels across the entire sensor
- Improved autofocus performance and speed
- 5.0 fps burst mode
- 5-axis in-body image stabilization
- X-Processor 4
- Integrated vertical grip
- Weather resistant structure
- Dual UHS-II SD card slots
- Top and rear sub displays
- 3-way tilting touchscreen LCD
- 5.76M-dot OLED electronic viewfinder
- 4K/30p video recording / 10bit color depth
- With Eterna Film Simulation
- Built-in Wi-Fi and Bluetooth



FUJIFILM
SOUTH AFRICA

4K

GFX 100

GFX 50s

MEDIUM FORMAT



- 51.4MP MEDIUM FORMAT
- 43.8x32.9mm CMOS sensor
- X-Processor Pro
- Full HD 1080p/30P
- 3.69m-Dot Detachable Electronic Viewfinder
- 3" 2.36m-Dot 3-Way Tilt LCD
- Touchscreen Operation
- 117-Point Contrast AF
- Built-In Wi-Fi
- Extended ISO 50-102400
- 3 fps Shooting
- 2 x SD Card Slots UHS-II
- 15x Film Simulation modes
- Film Grain Effect Function
- Weather resistant structure
- 825g Professional and Lightweight Body



GFX 50R

MEDIUM FORMAT



- 51.4MP MEDIUM FORMAT
- 43.8x32.9mm CMOS sensor
- X-Processor Pro
- Full HD 1080p/30P
- 3.69m-Dot Rangefinder Style EVF
- 3" 2.36m-Dot 3-Way Tilt LCD
- Touchscreen Operation
- 117-Point Contrast AF
- Built-In Wi-Fi
- Extended ISO 50-102400
- 3 fps Shooting
- 2 x SD Card Slots UHS-II
- 15x Film Simulation modes
- Film Grain Effect Function
- Weather resistant structure
- 775g Professional Rangefinder Style Body



FUJIFILM
SOUTH AFRICA

FUJIFILM



GFX

MEDIUM FORMAT

G MOUNT LENSES



LENS MODEL	35mm EQUIVALENT	APERTURE RANGE	FILTER SIZE	WEIGHT	FOCUS RANGE	ANGLE OF VIEW
GF Prime Lenses						
GF 23mm F4 R LM WR	18mm	F4-F32	ø82mm	845g	38cm - ∞	99.9°
GF 45mm F2.8 R WR	36mm	F2.8-F32	ø72mm	490g	45cm - ∞	62.6°
GF 50mm F3.5 R LM WR	40mm	F2.8-F32	ø62mm	335g	55cm - ∞	57.4°
GF 63mm F2.8 R WR	50mm	F2.8-F32	ø62mm	405g	50cm - ∞	46.9°
GF 110mm F2.8 R LM WR	87mm	F2-F22	ø77mm	1,010g	90cm - ∞	27.9°
GF 120mm F4 R LM OIS WR MACRO	95mm	F4-F32	ø72mm	980g	45cm - ∞	25.7°
GF 250mm F4 R LM OIS WR	198mm	F4-F32	ø82mm	1,425g	1.4m - ∞	12.5°
GF Zoom Lenses						
GF 32-64mm F4 R LM WR	25-51mm	F4-F32	ø77mm	875g	(W)50cm/(T)60cm - ∞	81°-46.3°
GF45-100mm F4 R LM OIS WR	36-79mm	F4-F32	ø82mm	1,005g	(W)65cm/(T)82cm - ∞	62.6°-30.6°
GF100-200mm F5.6 R LM OIS WR	79-185mm	F5.6-F32	ø67mm	1,050g	(W)60cm/(T)1.6m - ∞	30.6°-15.6°
XF1.4x Tele Converter WR	1.4x			130g		



GF250mm F4



GF100-200mm F5.6



GF45-100mm F4



GF120mm F4



GF110mm F2.8



GF63mm F2.8



GF50mm F3.5



GF45mm F2.8



GF32-64mm



GF23mm F4



GF1.4x